

TECHNICAL DATASHEET

VIOLET 7894

CHEMICAL COMPOSITION

PRODUCT	C.I.	CAS N°	EINECS
VIOLET	PV 15/77007	12769-96-9	2.358.110

PHYSICAL APPEARENCE

VIOLET POWDER

CHARACTERISTICS

SPECIFIC GRAVITY	2.35
OIL ABSORPTION	34
TINTING STRENGTH	NOT APPLICABLE
SIEVE RESIDUE	0.06%
SOLUBLE SALTS	0.60%
FREE SULPHUR	0.06%
MOISTURE	0.80%
SOLUBLE HEAVY METALS	<20ppm
TOTAL HEAVY METALS	<100ppm

BLEEDING RESISTANCE TO :

BASED ON THE DATA PROVIDED BY THE SUPPLIERS OF THE BASIC PRODUCTS

TO SOLVENTS AND OTHER CHEMICAL PRODUCTS (1-5)

ACIDS	1
ALKALIS	3-4

TO LIGHT (1-8)

PAINT FULL SHADE	8
PAINT REDUCED SHADE	8

TO HEAT 300°C

RECOMMENDED FOR

CONCRETE - LIME - LINOLEUM - WALL PAINTING - OIL AND WATER PAINTS - PLASTIC - POLYESTER

The information given is based on our actual knowledge of the product, it is not a guarantee. The client should test the product, several elements might affect the use and the applications. Existing laws and directives have to be respected by the client under his own responsibility.